

Canadian Gelbvieh Association
July 2011 International Cattle Evaluation--Gelbvieh Blended Breed Base
Active Gelbvieh Sires Percentile Breakdown (sired calves since Jan. 1, 2009)

	CE	BW	WW	YW	MK	TM	GL	CED	SC	ST	CW	RE	MB	DtF	CV	FM
Average	107	1.4	36	68	16	34	-0.8	101	0.3	4	11	0.07	0.03	1.2	5.52	4.39
Low	91	-7.0	-3	9	-4	6	-5.6	87	-1.0	-7	-18	-0.47	-0.22	-4.0	-40.24	-34.44
High	126	8.3	69	120	33	52	3.4	112	1.8	17	38	0.51	0.35	7.7	38.99	41.32

Percentile Breakdown

1%	121	6.5	60	101	25	46	1.5	108	1.4	11	35	0.42	0.20	7.4	33.26	29.95
2%	119	5.8	57	97	25	46	1.2	108	1.3	11	32	0.40	0.14	6.8	31.71	27.08
3%	119	5.5	55	96	24	46	1.0	108	1.2	10	30	0.36	0.13	5.9	31.31	24.76
4%	117	5.2	53	92	23	44	0.9	107	1.1	9	27	0.35	0.12	5.6	28.28	24.09
5%	117	5.0	53	91	23	44	0.8	106	1.0	9	27	0.31	0.11	5.2	26.48	23.40
10%	115	4.1	49	87	21	42	0.4	105	0.8	8	23	0.27	0.09	4.1	23.14	18.65
15%	113	3.5	46	84	20	40	0.2	104	0.7	7	20	0.22	0.08	3.3	20.67	16.12
20%	112	3.3	45	81	19	39	0.1	104	0.6	6	18	0.18	0.07	2.9	16.02	14.47
25%	111	2.9	43	79	19	38	-0.1	103	0.5	6	16	0.17	0.06	2.6	14.29	13.05
30%	110	2.6	41	76	18	36	-0.2	103	0.5	6	15	0.14	0.06	2.1	12.57	11.37
35%	109	2.4	40	74	17	36	-0.4	102	0.4	5	15	0.13	0.05	1.8	9.39	8.71
40%	108	2.1	39	72	17	35	-0.5	102	0.4	5	13	0.11	0.05	1.5	7.43	6.55
45%	108	1.8	38	70	16	34	-0.6	102	0.3	4	11	0.10	0.04	1.1	5.49	5.37
50%	107	1.5	37	68	16	34	-0.7	101	0.3	4	10	0.07	0.04	0.9	3.58	3.97
55%	106	1.2	36	66	15	33	-0.9	101	0.3	4	9	0.06	0.03	0.7	1.15	3.17
60%	105	1.0	35	65	15	32	-1.0	100	0.2	4	8	0.04	0.02	0.4	0.00	1.55
65%	105	0.7	33	63	14	32	-1.2	100	0.2	3	7	0.02	0.02	0.1	0.00	0.15
70%	104	0.3	32	61	14	31	-1.3	99	0.1	3	5	0.00	0.00	-0.3	0.00	-1.27
75%	103	-0.1	30	59	13	30	-1.5	99	0.1	2	4	-0.04	-0.01	-0.4	0.00	-2.66
80%	103	-0.6	29	56	12	29	-1.7	98	0.1	2	3	-0.06	-0.02	-0.8	-2.67	-4.72
85%	102	-1.1	27	53	11	28	-1.8	98	0.0	2	2	-0.08	-0.03	-1.2	-5.75	-6.62
90%	100	-1.7	24	49	9	26	-2.2	97	-0.1	0	0	-0.12	-0.05	-1.4	-9.94	-10.02
95%	98	-2.6	20	43	8	24	-2.7	96	-0.2	-1	-4	-0.15	-0.08	-1.9	-15.03	-15.28

CE = Calving Ease Direct
 BW = Birth Weight
 WW = Weaning Weight
 YW = Yearling Weight
 MK = Milk
 TM = Total Maternal
 GL = Gestation Length
 CED = Calving Ease Daughters
 SC = Scrotal Circumference
 ST = Stayability
 CW = Carcass Weight
 RE = Ribeye Area
 MB = Marbling
 DtF = Days to Finish
 CV = Carcass Value
 FM = Feedlot Merit

Canadian Gelbvieh Association
July 2011 International Cattle Evaluation--Gelbvieh Blended Breed Base
Active Dams Percentile Breakdown (cows calving since January 1, 2009)

	CE	BW	WW	YW	MK	TM	GL	CED	SC	ST	CW	RE	MB	DtF	CV	FM
Average	106	1.7	34	63	16	33	-0.6	100	0.3	5	7	0.04	0.04	0.7	1.49	0.01
Low	85	-6.6	6	19	0	10	-4.5	84	-0.6	-6	-13	-0.28	-0.14	-4.3	-30.29	-38.68
High	129	9.5	62	107	31	51	3.3	117	1.5	14	25	0.35	0.23	9.0	31.99	35.63

Percentile Breakdown

1%	120	6.7	52	93	25	46	1.5	108	1.0	12	21	0.27	0.19	5.6	25.00	23.86
2%	119	6.1	50	89	24	44	1.2	107	0.9	11	20	0.24	0.14	4.9	22.52	21.35
3%	117	5.7	48	87	23	44	1.1	107	0.9	10	19	0.23	0.12	4.5	20.99	19.43
4%	116	5.4	47	85	23	42	1.0	106	0.8	10	18	0.21	0.10	4.3	19.31	17.91
5%	116	5.1	47	83	22	42	0.9	106	0.8	10	17	0.20	0.09	4.0	18.22	16.67
10%	113	4.3	44	79	20	40	0.6	105	0.6	8	15	0.17	0.08	3.2	14.32	12.33
15%	112	3.8	42	76	19	38	0.4	104	0.5	8	14	0.14	0.08	2.7	11.45	9.93
20%	111	3.4	41	73	19	38	0.2	103	0.5	7	12	0.11	0.07	2.3	8.69	8.23
25%	110	3.1	40	71	18	36	0.1	103	0.4	6	11	0.10	0.07	2.0	6.35	6.34
30%	109	2.8	38	70	18	36	0.0	102	0.4	6	10	0.08	0.06	1.6	4.20	4.89
35%	108	2.5	37	68	17	35	-0.2	102	0.4	6	10	0.07	0.06	1.3	2.34	3.47
40%	107	2.2	36	66	16	34	-0.3	101	0.3	5	9	0.06	0.05	1.0	1.02	2.29
45%	107	2.0	35	65	16	34	-0.4	101	0.3	5	8	0.04	0.05	0.7	0.00	1.10
50%	106	1.8	34	63	16	32	-0.5	101	0.3	4	7	0.03	0.05	0.4	0.00	-0.07
55%	105	1.5	33	62	15	32	-0.6	100	0.2	4	6	0.02	0.04	0.1	0.00	-1.24
60%	105	1.3	32	60	15	32	-0.7	100	0.2	4	5	0.01	0.03	-0.1	0.00	-2.43
65%	104	1.0	31	58	14	30	-0.8	99	0.2	4	4	-0.01	0.03	-0.4	0.00	-3.85
70%	103	0.8	30	56	14	30	-1.0	99	0.1	3	3	-0.02	0.02	-0.6	-1.68	-5.23
75%	103	0.5	29	54	13	29	-1.1	98	0.1	3	3	-0.03	0.01	-0.9	-3.29	-6.62
80%	102	0.1	28	52	12	28	-1.3	98	0.1	2	2	-0.05	0.00	-1.1	-4.62	-8.24
85%	101	-0.3	26	50	12	27	-1.5	97	0.0	2	1	-0.06	-0.02	-1.3	-6.45	-10.24
90%	99	-0.9	24	47	11	26	-1.8	96	0.0	1	-1	-0.08	-0.04	-1.6	-8.73	-12.12
95%	97	-1.9	21	43	9	23	-2.3	94	-0.1	0	-3	-0.11	-0.07	-1.9	-12.97	-15.73

CE = Calving Ease Direct
 BW = Birth Weight
 WW = Weaning Weight
 YW = Yearling Weight
 MK = Milk
 TM = Total Maternal
 GL = Gestation Length
 CED = Calving Ease Daughters
 SC = Scrotal Circumference
 ST = Stayability
 CW = Carcass Weight
 RE = Ribeye Area
 MB = Marbling
 DtF = Days to Finish
 CV = Carcass Value
 FM = Feedlot Merit

Canadian Gelbvieh Association
July 2011 International Cattle Evaluation--Gelbvieh Blended Breed Base
2009-2010 Born GV Non-Parent Percentile Breakdown

	CE	BW	WW	YW	MK	TM	GL	CED	SC	ST	CW	RE	MB	DtF	CV	FM
Average	107	1.4	35	66	16	33	-0.8	101	0.3	4	10.31	0.08	0.03	0.9	2.72	2.42
Low	83	-9.1	6	20	3	13	-5.4	88	-0.6	-2	-14.10	-0.23	-0.16	-3.2	-32.79	-38.46
High	131	9.9	64	105	28	50	2.5	112	4.5	14	31.70	0.35	0.23	6.4	33.40	37.42

Percentile Breakdown

1%	121	6.5	60	101	25	46	1.5	108	1.4	11	35.14	0.42	0.20	7.4	33.26	29.95
2%	119	5.8	57	97	25	46	1.2	108	1.3	11	31.85	0.40	0.14	6.8	31.71	27.08
3%	119	5.5	55	96	24	46	1.0	108	1.2	10	29.73	0.36	0.13	5.9	31.31	24.76
4%	117	5.2	53	92	23	44	0.9	107	1.1	9	27.41	0.35	0.12	5.6	28.28	24.09
5%	117	5.0	53	91	23	44	0.8	106	1.0	9	26.89	0.31	0.11	5.2	26.48	23.40
10%	115	4.1	49	87	21	42	0.4	105	0.8	8	23.23	0.27	0.09	4.1	23.14	18.65
15%	113	3.5	46	84	20	40	0.2	104	0.7	7	19.98	0.22	0.08	3.3	20.67	16.12
20%	112	3.3	45	81	19	39	0.1	104	0.6	6	18.32	0.18	0.07	2.9	16.02	14.47
25%	111	2.9	43	79	19	38	-0.1	103	0.5	6	16.31	0.17	0.06	2.6	14.29	13.05
30%	110	2.6	41	76	18	36	-0.2	103	0.5	6	15.18	0.14	0.06	2.1	12.57	11.37
35%	109	2.4	40	74	17	36	-0.4	102	0.4	5	14.50	0.13	0.05	1.8	9.39	8.71
40%	108	2.1	39	72	17	35	-0.5	102	0.4	5	13.42	0.11	0.05	1.5	7.43	6.55
45%	108	1.8	38	70	16	34	-0.6	102	0.3	4	11.40	0.10	0.04	1.1	5.49	5.37
50%	107	1.5	37	68	16	34	-0.7	101	0.3	4	10.43	0.07	0.04	0.9	3.58	3.97
55%	106	1.2	36	66	15	33	-0.9	101	0.3	4	9.16	0.06	0.03	0.7	1.15	3.17
60%	105	1.0	35	65	15	32	-1.0	100	0.2	4	7.55	0.04	0.02	0.4	0.00	1.55
65%	105	0.7	33	63	14	32	-1.2	100	0.2	3	6.60	0.02	0.02	0.1	0.00	0.15
70%	104	0.3	32	61	14	31	-1.3	99	0.1	3	5.46	0.00	0.00	-0.3	0.00	-1.27
75%	103	-0.1	30	59	13	30	-1.5	99	0.1	2	4.30	-0.04	-0.01	-0.4	0.00	-2.66
80%	103	-0.6	29	56	12	29	-1.7	98	0.1	2	2.88	-0.06	-0.02	-0.8	-2.67	-4.72
85%	102	-1.1	27	53	11	28	-1.8	98	0.0	2	1.71	-0.08	-0.03	-1.2	-5.75	-6.62
90%	100	-1.7	24	49	9	26	-2.2	97	-0.1	0	-0.30	-0.12	-0.05	-1.4	-9.94	-10.02
95%	98	-2.6	20	43	8	24	-2.7	96	-0.2	-1	-4.00	-0.15	-0.08	-1.9	-15.03	-15.28

CE = Calving Ease Direct
 BW = Birth Weight
 WW = Weaning Weight
 YW = Yearling Weight
 MK = Milk
 TM = Total Maternal
 GL = Gestation Length
 CED = Calving Ease Daughters
 SC = Scrotal Circumference
 ST = Stayability
 CW = Carcass Weight
 RE = Ribeye Area
 MB = Marbling
 DtF = Days to Finish
 CV = Carcass Value
 FM = Feedlot Merit

Canadian Gelbvieh Association
July 2011 International Cattle Evaluation--Gelbvieh Blended Breed Base
All Balancers

	CE	BW	WW	YW	MK	TM	GL	CED	SC	ST	CW	RE	MB	DtF	CV	FM
Average	107	0.1	29	58	14	28	-0.7	101	0.2	4	4	0.02	0.08	0.9	1.07	-0.99
Low	86	-6.2	9	26	6	14	-4.4	90	-0.3	-4	-18	-0.14	-0.08	-2.4	-37.53	-22.25
High	122	8.9	55	89	23	44	1.6	111	0.8	11	19	0.20	0.15	8.0	15.57	32.26

Percentile Breakdown

1%	119	5.7	47	86	21	39	1.0	108	0.6	8	13	0.17	0.15	3.8	15.57	24.41
2%	118	4.6	43	82	20	38	0.8	107	0.6	8	13	0.15	0.15	3.4	15.53	18.58
3%	116	4.1	42	81	20	37	0.7	107	0.6	8	12	0.13	0.15	3.1	15.44	17.16
4%	116	3.7	41	79	19	36	0.6	106	0.6	8	12	0.12	0.14	3.0	15.12	15.94
5%	115	3.4	41	76	19	36	0.5	106	0.6	7	12	0.12	0.14	2.9	14.51	15.01
10%	114	2.6	37	71	17	34	0.3	105	0.5	7	10	0.11	0.14	2.3	13.52	10.61
15%	112	2.2	36	68	17	33	0.2	104	0.4	7	9	0.10	0.14	2.2	12.32	7.66
20%	111	1.8	34	66	16	32	0.0	103	0.4	6	8	0.09	0.14	2.1	11.29	5.83
25%	110	1.6	34	65	16	31	-0.1	103	0.3	6	8	0.09	0.13	1.9	10.72	4.41
30%	109	1.2	32	63	15	30	-0.2	102	0.3	6	7	0.08	0.12	1.8	9.47	2.97
35%	109	0.9	31	62	15	30	-0.3	102	0.3	5	7	0.07	0.11	1.7	8.10	1.33
40%	108	0.6	30	60	14	29	-0.4	102	0.3	5	7	0.06	0.09	1.4	6.22	0.42
45%	108	0.3	29	59	14	28	-0.4	101	0.2	5	6	0.05	0.07	1.1	4.45	-0.79
50%	107	0.0	28	57	13	28	-0.5	101	0.2	4	6	0.04	0.07	0.9	2.47	-1.76
55%	107	-0.2	27	56	13	28	-0.6	101	0.2	4	5	0.03	0.07	0.7	0.03	-2.71
60%	106	-0.4	26	54	13	26	-0.7	100	0.2	3	4	0.02	0.07	0.4	0.00	-4.03
65%	106	-0.6	26	53	12	26	-0.8	100	0.1	3	4	-0.01	0.07	0.2	0.00	-5.22
70%	105	-0.9	25	51	12	25	-1.0	100	0.1	2	3	-0.05	0.06	-0.1	-1.87	-6.11
75%	104	-1.2	24	50	11	24	-1.1	99	0.1	2	2	-0.07	0.06	-0.4	-3.79	-7.09
80%	104	-1.5	22	48	11	24	-1.3	99	0.0	2	2	-0.08	0.06	-0.6	-6.53	-8.21
85%	103	-2.0	21	47	10	23	-1.6	98	0.0	1	0	-0.09	0.02	-0.7	-9.17	-9.50
90%	102	-2.6	20	44	10	22	-1.9	98	-0.1	1	-4	-0.11	0.02	-0.7	-12.95	-11.24
95%	99	-3.7	17	41	9	20	-2.5	97	-0.1	0	-10	-0.12	-0.02	-0.9	-23.42	-13.55

CE = Calving Ease Direct
 BW = Birth Weight
 WW = Weaning Weight
 YW = Yearling Weight
 MK = Milk
 TM = Total Maternal
 GL = Gestation Length
 CED = Calving Ease Daughters
 SC = Scrotal Circumference
 ST = Stayability
 CW = Carcass Weight
 RE = Ribeye Area
 MB = Marbling
 DtF = Days to Finish
 CV = Carcass Value
 FM = Feedlot Merit